


Leistungsdiagramm - Radleistung



4599
 27.01.2024 09:30
 Simson Simson (Messergebnisse für: KRAD 50 ccm)
 12.9 KW/13884 1/min | 17.5 PS/13884 1/min | 10.0 Nm/10599 1/min | vmax: 97.2 km/h
 k=0,981 (3°C/68%/1002mbar)
 Tunerbattle Felix Vogel

4600
 27.01.2024 09:32
 Simson Simson (Messergebnisse für: KRAD 50 ccm)
 15.7 KW/13788 1/min | 21.3 PS/13788 1/min | 11.0 Nm/13489 1/min | vmax: 101.4 km/h
 k=0,981 (3°C/68%/1002mbar)
 Tunerbattle Felix Vogel

4601
 27.01.2024 09:32
 Simson Simson (Messergebnisse für: KRAD 50 ccm)
 16.0 KW/13783 1/min | 21.8 PS/13783 1/min | 11.2 Nm/13479 1/min | vmax: 103.0 km/h
 k=0,983 (4°C/68%/1002mbar)
 Tunerbattle Felix Vogel

Messdaten-Tabelle Sm Simson 4599

Zeit [s]	Drehzahl [1/min]	Moment [Nm]	Leistung [PS]	Leistung [KW]	Geschw. [km/h]
00:00,000	7528	1.05	1.12	0.83	48.67
00:00,110	7561	1.35	1.45	1.07	48.85
00:00,220	7601	1.60	1.73	1.27	49.16
00:00,330	7648	1.78	1.93	1.42	49.45
00:00,440	7698	1.89	2.07	1.53	49.75
00:00,550	7751	2.01	2.22	1.63	50.13
00:00,660	7807	2.12	2.36	1.73	50.48
00:00,770	7866	2.19	2.45	1.80	50.85
00:00,880	7926	2.21	2.50	1.84	51.27
00:00,990	7986	2.23	2.53	1.86	51.65
00:01,100	8047	2.35	2.70	1.98	52.02
00:01,210	8114	2.60	3.01	2.21	52.46
00:01,320	8189	2.78	3.25	2.39	52.95
00:01,430	8265	2.80	3.29	2.42	53.46
00:01,540	8341	2.78	3.31	2.43	53.95
00:01,650	8417	3.05	3.65	2.69	54.40
00:01,760	8506	3.68	4.46	3.28	54.94
00:01,870	8617	4.53	5.56	4.09	55.68
00:01,980	8753	5.52	6.88	5.06	56.55
00:02,090	8917	6.59	8.36	6.15	57.57
00:02,200	9110	7.55	9.79	7.20	58.87
00:02,310	9327	8.25	10.96	8.06	60.31
00:02,420	9559	8.75	11.91	8.76	61.78
00:02,530	9803	9.22	12.86	9.46	63.37
00:02,640	10060	9.64	13.81	10.16	65.04
00:02,750	10327	9.93	14.59	10.73	66.76
00:02,860	10599	10.02	15.12	11.12	68.54
00:02,970	10872	9.82	15.20	11.18	70.33
00:03,080	11133	9.42	14.93	10.98	72.04
00:03,190	11384	9.00	14.58	10.73	73.62
00:03,300	11622	8.57	14.18	10.43	75.18
00:03,410	11849	8.16	13.77	10.13	76.67
00:03,520	12066	8.00	13.74	10.11	78.02
00:03,630	12284	8.19	14.33	10.54	79.38
00:03,740	12511	8.45	15.05	11.07	80.91
00:03,850	12743	8.37	15.18	11.16	82.43
00:03,960	12966	8.15	15.05	11.07	83.89
00:04,070	13186	8.17	15.34	11.28	85.22
00:04,180	13410	8.42	16.08	11.83	86.71
00:04,290	13644	8.73	16.96	12.48	88.23
00:04,400	13884	8.86	17.51	12.88	89.77
00:04,510	14126	8.53	17.16	12.62	91.37
00:04,620	14348	7.58	15.48	11.39	92.91
00:04,730	14538	6.29	13.01	9.57	94.08
00:04,840	14690	5.06	10.58	7.78	95.05
00:04,950	14813	3.94	8.32	6.12	95.86
00:05,060	14904	2.89	6.13	4.51	96.47
00:05,170	14970	1.91	4.07	3.00	96.82
00:05,280	15008	1.03	2.20	1.62	97.13
00:05,390	15026	0.34	0.72	0.53	97.21
00:05,500	15026	-0.10	-0.22	-0.16	97.17
00:05,610	15020	-0.28	-0.59	-0.43	97.14
00:05,720	15012	-0.34	-0.72	-0.53	97.09
00:05,830	15002	-0.36	-0.76	-0.56	97.00
00:05,940	14992	-0.35	-0.75	-0.55	96.96
00:06,050	14984	-0.37	-0.79	-0.58	96.90
00:06,160	14973	-0.61	-1.29	-0.95	96.83
00:06,270	14951	-1.17	-2.50	-1.84	96.75
00:06,380	14910	-1.90	-4.04	-2.97	96.49
00:06,490	14850	-2.46	-5.21	-3.83	96.03
00:06,600	14779	-2.65	-5.57	-4.10	95.57
00:06,710	14708	-2.63	-5.50	-4.04	95.11
00:06,820	14639	-2.56	-5.33	-3.92	94.66
00:06,930	14572	-2.42	-5.02	-3.69	94.22
00:07,040	14510	-2.24	-4.62	-3.40	93.82
00:07,150	14453	-2.06	-4.24	-3.12	93.45
00:07,260	14400	-1.94	-3.99	-2.93	93.12
00:07,370	14349	-1.89	-3.91	-2.87	92.79

Messdaten-Tabelle Sm Simson 4600

Zeit [s]	Drehzahl [1/min]	Moment [Nm]	Leistung [PS]	Leistung [KW]	Geschw. [km/h]
00:00,000	7624	2.32	2.52	1.85	49.28
00:00,110	7686	2.21	2.42	1.78	49.74
00:00,220	7744	2.08	2.29	1.68	50.09
00:00,330	7798	2.12	2.35	1.73	50.40
00:00,440	7859	2.32	2.60	1.91	50.80
00:00,550	7925	2.52	2.84	2.09	51.26
00:00,660	7996	2.60	2.96	2.18	51.68
00:00,770	8066	2.69	3.08	2.27	52.18
00:00,880	8142	2.80	3.24	2.38	52.62
00:00,990	8218	2.81	3.28	2.42	53.15
00:01,100	8294	2.85	3.37	2.48	53.66
00:01,210	8373	2.92	3.49	2.56	54.11
00:01,320	8453	3.13	3.77	2.77	54.68
00:01,430	8543	3.48	4.23	3.11	55.21
00:01,540	8642	3.94	4.85	3.57	55.85
00:01,650	8757	4.55	5.67	4.17	56.60
00:01,760	8890	5.17	6.55	4.81	57.45
00:01,870	9039	5.83	7.51	5.52	58.41
00:01,980	9207	6.56	8.59	6.32	59.49
00:02,090	9395	7.30	9.76	7.18	60.71
00:02,200	9603	7.98	10.91	8.03	62.07
00:02,310	9829	8.57	12.00	8.82	63.53
00:02,420	10069	9.09	13.03	9.58	65.08
00:02,530	10323	9.54	14.01	10.31	66.73
00:02,640	10588	9.95	15.00	11.03	68.44
00:02,750	10863	10.35	16.00	11.77	70.22
00:02,860	11150	10.66	16.92	12.44	72.09
00:02,970	11443	10.80	17.60	12.95	74.00
00:03,080	11737	10.78	18.02	13.25	75.91
00:03,190	12029	10.69	18.30	13.46	77.80
00:03,300	12318	10.62	18.63	13.70	79.66
00:03,410	12606	10.63	19.08	14.03	81.52
00:03,520	12896	10.74	19.73	14.51	83.38
00:03,630	13190	10.92	20.51	15.08	85.28
00:03,740	13489	11.01	21.15	15.55	87.22
00:03,850	13788	10.84	21.28	15.65	89.19
00:03,960	14078	10.21	20.47	15.05	91.08
00:04,070	14343	9.00	18.38	13.52	92.85
00:04,180	14567	7.48	15.51	11.41	94.33
00:04,290	14750	6.04	12.69	9.34	95.43
00:04,400	14896	4.96	10.51	7.73	96.39
00:04,510	15019	4.14	8.85	6.51	97.17
00:04,620	15121	3.41	7.33	5.39	97.82
00:04,730	15204	2.86	6.19	4.55	98.36
00:04,840	15276	2.51	5.45	4.01	98.78
00:04,950	15340	2.28	4.97	3.66	99.22
00:05,060	15400	1.95	4.27	3.14	99.61
00:05,170	15446	1.30	2.87	2.11	99.94
00:05,280	15471	0.61	1.34	0.99	100.12
00:05,390	15480	0.41	0.89	0.66	100.09
00:05,500	15493	0.86	1.90	1.40	100.11
00:05,610	15526	1.56	3.46	2.54	100.38
00:05,720	15578	1.89	4.18	3.08	100.73
00:05,830	15629	1.18	2.63	1.93	101.11
00:05,940	15642	-0.34	-0.75	-0.56	101.37
00:06,050	15611	-1.89	-4.20	-3.09	100.99
00:06,160	15542	-2.64	-5.84	-4.30	100.50
00:06,270	15470	-2.56	-5.64	-4.15	100.02
00:06,380	15405	-2.37	-5.19	-3.82	99.60
00:06,490	15344	-2.27	-4.96	-3.64	99.24
00:06,600	15284	-2.23	-4.86	-3.57	98.83
00:06,710	15225	-2.15	-4.65	-3.42	98.44
00:06,820	15170	-2.00	-4.33	-3.18	98.09
00:06,930	15118	-1.89	-4.06	-2.99	97.76
00:07,040	15069	-1.81	-3.89	-2.86	97.44
00:07,150	15021	-1.76	-3.77	-2.77	97.14
00:07,260	14975	-1.72	-3.71	-2.73	96.84

Messdaten-Tabelle Sm Simson 4601

Zeit [s]	Drehzahl [1/min]	Moment [Nm]	Leistung [PS]	Leistung [KW]	Geschw. [km/h]
00:00,000	7596	2.67	2.89	2.12	49.11
00:00,110	7669	2.70	2.95	2.17	49.60
00:00,220	7742	2.65	2.92	2.15	50.07
00:00,330	7812	2.50	2.78	2.04	50.54
00:00,440	7878	2.43	2.72	2.00	50.96
00:00,550	7944	2.47	2.79	2.05	51.34
00:00,660	8012	2.57	2.93	2.16	51.82
00:00,770	8084	2.58	2.97	2.19	52.27
00:00,880	8152	2.56	2.97	2.19	52.73
00:00,990	8223	2.65	3.10	2.28	53.15
00:01,100	8296	2.74	3.24	2.38	53.64
00:01,210	8371	2.81	3.35	2.47	54.16
00:01,320	8448	2.85	3.43	2.52	54.61
00:01,430	8526	2.94	3.56	2.62	55.13
00:01,540	8608	2.99	3.66	2.69	55.66
00:01,650	8688	2.87	3.55	2.61	56.20
00:01,760	8763	2.86	3.57	2.62	56.69
00:01,870	8843	3.15	3.96	2.91	57.12
00:01,980	8934	3.68	4.68	3.44	57.75
00:02,090	9043	4.30	5.53	4.07	58.46
00:02,200	9167	4.91	6.41	4.71	59.23
00:02,310	9309	5.67	7.51	5.53	60.17
00:02,420	9475	6.51	8.78	6.46	61.20
00:02,530	9662	7.30	10.04	7.38	62.44
00:02,640	9871	7.97	11.20	8.24	63.80
00:02,750	10094	8.48	12.19	8.97	65.25
00:02,860	10331	8.93	13.14	9.66	66.78
00:02,970	10579	9.37	14.12	10.38	68.39
00:03,080	10839	9.86	15.22	11.20	70.06
00:03,190	11114	10.37	16.40	12.06	71.84
00:03,300	11402	10.73	17.42	12.81	73.72
00:03,410	11696	10.87	18.11	13.32	75.64
00:03,520	11992	10.85	18.53	13.63	77.55
00:03,630	12285	10.82	18.92	13.92	79.45
00:03,740	12579	10.86	19.46	14.31	81.33
00:03,850	12874	10.99	20.14	14.81	83.25
00:03,960	13175	11.14	20.90	15.37	85.19
00:04,070	13479	11.21	21.51	15.82	87.16
00:04,180	13783	11.10	21.78	16.02	89.15
00:04,290	14081	10.70	21.45	15.78	91.08
00:04,400	14363	9.79	20.01	14.72	92.95
00:04,510	14612	8.39	17.45	12.84	94.62
00:04,620	14818	6.85	14.45	10.63	95.91
00:04,730	14984	5.59	11.94	8.78	96.95
00:04,840	15122	4.75	10.22	7.52	97.83
00:04,950	15241	4.16	9.02	6.63	98.59
00:05,060	15347	3.68	8.03	5.91	99.27
00:05,170	15441	3.30	7.24	5.33	99.88
00:05,280	15526	3.06	6.76	4.97	100.41
00:05,390	15607	2.95	6.56	4.82	100.92
00:05,500	15686	2.84	6.35	4.67	101.45
00:05,610	15761	2.64	5.92	4.35	101.95
00:05,720	15829	2.23	5.02	3.69	102.38
00:05,830	15882	1.22	2.75	2.02	102.77
00:05,940	15895	-0.35	-0.78	-0.58	102.97
00:06,050	15863	-1.83	-4.13	-3.04	102.63
00:06,160	15798	-2.52	-5.67	-4.17	102.15
00:06,270	15729	-2.48	-5.55	-4.08	101.69
00:06,380	15665	-2.32	-5.17	-3.80	101.30
00:06,490	15605	-2.23	-4.96	-3.65	100.92
00:06,600	15546	-2.16	-4.77	-3.51	100.53
00:06,710	15490	-2.03	-4.48	-3.29	100.16
00:06,820	15438	-1.88	-4.13	-3.04	99.83
00:06,930	15390	-1.77	-3.88	-2.85	99.52
00:07,040	15344	-1.69	-3.69	-2.72	99.22
00:07,150	15300	-1.64	-3.58	-2.63	98.94
00:07,260	15256	-1.62	-3.54	-2.60	98.66
00:07,370	15213	-1.62	-3.50	-2.58	98.38
00:07,480	15170	-1.61	-3.48	-2.56	98.10