


Leistungsdigramm - Radleistung



4602
27.01.2024 09:34
Simson Simson (Messergebnisse für: KRAD 50 ccm)
17.4 KW/12488 1/min | 23.6 PS/12488 1/min | 14.0 Nm/11500 1/min | vmax: 125.0 km/h
k=0,984 (4°C/68%/1001mbar)
Tunerbattle Richard Wagner

4603
27.01.2024 09:39
Simson Simson (Messergebnisse für: KRAD 50 ccm)
17.6 KW/12799 1/min | 23.9 PS/12799 1/min | 13.9 Nm/11822 1/min | vmax: 129.6 km/h
k=0,984 (4°C/68%/1001mbar)
Tunerbattle Richard Wagner

4604
27.01.2024 09:40
Simson Simson (Messergebnisse für: KRAD 50 ccm)
17.7 KW/13011 1/min | 24.0 PS/13011 1/min | 13.7 Nm/12049 1/min | vmax: 130.6 km/h
k=0,984 (4°C/68%/1001mbar)
Tunerbattle Richard Wagner

Messdaten-Tabelle Sm Simson 4602

Zeit [s]	Drehzahl [1/min]	Moment [Nm]	Leistung [PS]	Leistung [KW]	Geschw. [km/h]
00:00,000	7684	5.94	6.50	4.78	61.86
00:00,110	7791	5.95	6.60	4.86	62.73
00:00,220	7898	5.91	6.65	4.89	63.60
00:00,330	8004	5.86	6.67	4.91	64.44
00:00,440	8109	5.86	6.77	4.98	65.28
00:00,550	8214	6.01	7.03	5.17	66.13
00:00,660	8325	6.29	7.46	5.48	67.00
00:00,770	8440	6.65	8.00	5.88	67.94
00:00,880	8564	7.13	8.70	6.40	68.93
00:00,990	8697	7.81	9.68	7.12	69.98
00:01,100	8845	8.71	10.97	8.07	71.16
00:01,210	9010	9.68	12.42	9.14	72.49
00:01,320	9193	10.56	13.82	10.17	73.97
00:01,430	9390	11.27	15.07	11.08	75.57
00:01,540	9598	11.84	16.17	11.90	77.25
00:01,650	9815	12.31	17.20	12.65	79.00
00:01,760	10040	12.73	18.20	13.38	80.81
00:01,870	10272	13.07	19.12	14.06	82.69
00:01,980	10510	13.34	19.96	14.68	84.61
00:02,090	10752	13.57	20.77	15.28	86.55
00:02,200	10997	13.79	21.60	15.89	88.53
00:02,310	11247	13.98	22.40	16.47	90.55
00:02,420	11500	14.05	23.00	16.92	92.59
00:02,530	11752	13.96	23.36	17.18	94.63
00:02,640	12002	13.77	23.53	17.31	96.64
00:02,750	12247	13.53	23.60	17.35	98.62
00:02,860	12488	13.28	23.62	17.37	100.56
00:02,970	12724	12.99	23.53	17.30	102.46
00:03,080	12955	12.59	23.22	17.07	104.33
00:03,190	13177	12.10	22.71	16.70	106.12
00:03,300	13390	11.59	22.10	16.25	107.82
00:03,410	13593	11.09	21.47	15.79	109.47
00:03,520	13788	10.62	20.85	15.33	111.04
00:03,630	13975	10.13	20.16	14.83	112.53
00:03,740	14152	9.67	19.49	14.34	113.98
00:03,850	14323	9.24	18.85	13.86	115.33
00:03,960	14485	8.79	18.14	13.34	116.64
00:04,070	14639	8.29	17.28	12.71	117.89
00:04,180	14783	7.73	16.27	11.97	119.05
00:04,290	14916	7.19	15.27	11.23	120.12
00:04,400	15041	6.68	14.31	10.52	121.12
00:04,510	15156	6.19	13.36	9.83	122.05
00:04,620	15263	5.69	12.36	9.09	122.91
00:04,730	15361	5.09	11.14	8.19	123.71
00:04,840	15446	3.69	8.12	5.97	124.41
00:04,950	15494	1.35	2.98	2.19	124.98
00:05,060	15495	-1.10	-2.42	-1.78	124.85
00:05,170	15455	-2.59	-5.70	-4.19	124.44
00:05,280	15403	-2.89	-6.33	-4.66	124.01
00:05,390	15353	-2.82	-6.16	-4.53	123.60
00:05,500	15304	-2.76	-6.01	-4.42	123.22
00:05,610	15255	-2.73	-5.94	-4.37	122.82
00:05,720	15207	-2.72	-5.88	-4.33	122.43
00:05,830	15159	-2.68	-5.79	-4.26	122.05
00:05,940	15112	-2.66	-5.73	-4.21	121.67
00:06,050	15065	-2.64	-5.67	-4.17	121.29
00:06,160	15018	-2.63	-5.62	-4.13	120.92
00:06,270	14972	-2.60	-5.54	-4.07	120.55
00:06,380	14927	-2.57	-5.46	-4.01	120.18
00:06,490	14881	-2.54	-5.40	-3.98	119.81
00:06,600	14837	-2.54	-5.37	-3.95	119.46
00:06,710	14792	-2.55	-5.38	-3.96	119.09

Messdaten-Tabelle Sm Simson 4603

Zeit [s]	Drehzahl [1/min]	Moment [Nm]	Leistung [PS]	Leistung [KW]	Geschw. [km/h]
00:00,000	7663	5.54	6.04	4.44	61.73
00:00,110	7759	5.15	5.69	4.18	62.49
00:00,220	7848	4.78	5.34	3.93	63.20
00:00,330	7931	4.59	5.18	3.81	63.87
00:00,440	8013	4.61	5.26	3.87	64.50
00:00,550	8097	4.80	5.54	4.07	65.17
00:00,660	8185	5.03	5.86	4.31	65.90
00:00,770	8278	5.24	6.18	4.55	66.64
00:00,880	8374	5.47	6.52	4.80	67.40
00:00,990	8474	5.74	6.92	5.09	68.22
00:01,100	8580	6.01	7.34	5.40	69.06
00:01,210	8690	6.31	7.81	5.75	69.96
00:01,320	8807	6.71	8.42	6.19	70.88
00:01,430	8932	7.25	9.21	6.78	71.88
00:01,540	9067	7.92	10.23	7.52	72.96
00:01,650	9216	8.69	11.40	8.39	74.16
00:01,760	9380	9.47	12.64	9.30	75.48
00:01,870	9556	10.20	13.88	10.21	76.91
00:01,980	9746	10.87	15.09	11.10	78.44
00:02,090	9947	11.48	16.25	11.95	80.06
00:02,200	10159	12.02	17.39	12.79	81.76
00:02,310	10379	12.52	18.51	13.61	83.54
00:02,420	10609	12.95	19.57	14.39	85.39
00:02,530	10845	13.25	20.46	15.05	87.30
00:02,640	11085	13.43	21.20	15.59	89.25
00:02,750	11328	13.59	21.92	16.13	91.19
00:02,860	11573	13.77	22.69	16.69	93.17
00:02,970	11822	13.87	23.35	17.17	95.18
00:03,080	12072	13.81	23.74	17.46	97.20
00:03,190	12319	13.62	23.89	17.57	99.19
00:03,300	12561	13.38	23.92	17.60	101.15
00:03,410	12799	13.13	23.92	17.60	103.07
00:03,520	13033	12.84	23.83	17.53	104.94
00:03,630	13261	12.47	23.55	17.32	106.79
00:03,740	13481	12.00	23.03	16.94	108.57
00:03,850	13692	11.46	22.34	16.43	110.26
00:03,960	13893	10.94	21.65	15.92	111.88
00:04,070	14085	10.49	21.03	15.47	113.42
00:04,180	14270	10.10	20.51	15.09	114.91
00:04,290	14448	9.74	20.04	14.74	116.34
00:04,400	14620	9.36	19.48	14.33	117.73
00:04,510	14784	8.90	18.73	13.77	119.06
00:04,620	14940	8.36	17.77	13.07	120.31
00:04,730	15085	7.77	16.70	12.28	121.48
00:04,840	15219	7.20	15.60	11.48	122.56
00:04,950	15343	6.69	14.61	10.74	123.56
00:05,060	15459	6.22	13.70	10.08	124.48
00:05,170	15567	5.79	12.84	9.44	125.36
00:05,280	15668	5.40	12.04	8.86	126.16
00:05,390	15761	5.05	11.34	8.34	126.91
00:05,500	15849	4.75	10.72	7.88	127.62
00:05,610	15932	4.43	10.04	7.38	128.29
00:05,720	16008	3.65	8.32	6.12	128.91
00:05,830	16063	1.93	4.41	3.24	129.46
00:05,940	16077	-0.34	-0.77	-0.57	129.61
00:06,050	16051	-2.15	-4.92	-3.62	129.25
00:06,160	16001	-2.85	-6.49	-4.77	128.83
00:06,270	15950	-2.80	-6.36	-4.68	128.41
00:06,380	15902	-2.66	-6.03	-4.43	128.03
00:06,490	15856	-2.59	-5.85	-4.30	127.66
00:06,600	15811	-2.59	-5.82	-4.28	127.30
00:06,710	15765	-2.59	-5.81	-4.28	126.92
00:06,820	15719	-2.58	-5.77	-4.24	126.56
00:06,930	15674	-2.55	-5.69	-4.18	126.20
00:07,040	15629	-2.53	-5.63	-4.14	125.83
00:07,150	15584	-2.51	-5.57	-4.09	125.47
00:07,260	15540	-2.48	-5.49	-4.04	125.12
00:07,370	15496	-2.45	-5.42	-3.98	124.77
00:07,480	15453	-2.44	-5.38	-3.96	124.42
00:07,590	15410	-2.44	-5.36	-3.94	124.08
00:07,700	15367	-2.45	-5.37	-3.95	123.72

Messdaten-Tabelle Sm Simson 4604

Zeit [s]	Drehzahl [1/min]	Moment [Nm]	Leistung [PS]	Leistung [KW]	Geschw. [km/h]
00:00,000	7709	5.57	6.11	4.49	62.09
00:00,110	7807	5.16	5.74	4.22	62.88
00:00,220	7895	4.65	5.23	3.85	63.60
00:00,330	7974	4.37	4.96	3.65	64.21
00:00,440	8052	4.50	5.16	3.80	64.79
00:00,550	8136	4.88	5.65	4.16	65.48
00:00,660	8227	5.23	6.12	4.50	66.24
00:00,770	8323	5.45	6.46	4.75	67.00
00:00,880	8423	5.69	6.82	5.02	67.80
00:00,990	8528	5.94	7.22	5.31	68.64
00:01,100	8637	6.20	7.63	5.61	69.53
00:01,210	8751	6.49	8.08	5.94	70.44
00:01,320	8870	6.82	8.62	6.34	71.40
00:01,430	8996	7.25	9.29	6.83	72.41
00:01,540	9130	7.80	10.15	7.46	73.48
00:01,650	9276	8.45	11.16	8.21	74.65
00:01,760	9434	9.15	12.28	9.04	75.93
00:01,870	9605	9.84	13.45	9.90	77.30
00:01,980	9788	10.52	14.66	10.78	78.77
00:02,090	9983	11.15	15.85	11.66	80.34
00:02,200	10189	11.68	16.94	12.46	82.01
00:02,310	10403	12.12	17.95	13.20	83.74
00:02,420	10624	12.50	18.90	13.90	85.52
00:02,530	10852	12.82	19.80	14.57	87.36
00:02,640	11085	13.04	20.59	15.14	89.24
00:02,750	11321	13.23	21.32	15.68	91.14
00:02,860	11560	13.42	22.09	16.25	93.06
00:02,970	11803	13.60	22.85	16.81	95.02
00:03,080	12049	13.67	23.44	17.24	97.01
00:03,190	12294	13.58	23.77	17.48	99.00
00:03,300	12537	13.41	23.93	17.60	100.95
00:03,410	12776	13.20	24.01	17.66	102.87
00:03,520	13011	12.96	24.02	17.66	104.77
00:03,630	13242	12.66	23.87	17.56	106.63
00:03,740	13466	12.26	23.51	17.29	108.44
00:03,850	13682	11.77	22.94	16.87	110.19
00:03,960	13889	11.28	22.31	16.41	111.85
00:04,070	14088	10.85	21.76	16.01	113.44
00:04,180	14279	10.47	21.28	15.65	114.98
00:04,290	14464	10.05	20.70	15.22	116.48
00:04,400	14641	9.62	20.05	14.74	117.90
00:04,510	14810	9.21	19.42	14.28	119.25
00:04,620	14971	8.81	18.78	13.81	120.56
00:04,730	15126	8.34	17.97	13.21	121.81
00:04,840	15271	7.80	16.97	12.48	122.98
00:04,950	15407	7.27	15.95	11.73	124.06
00:05,060	15533	6.75	14.92	10.98	125.08
00:05,170	15649	6.22	13.85	10.19	126.03
00:05,280	15756	5.68	12.75	9.38	126.88
00:05,390	15853	5.19	11.70	8.61	127.66
00:05,500	15942	4.69	10.65	7.83	128.38
00:05,610	16022	4.22	9.62	7.08	129.03
00:05,720	16094	3.75	8.60	6.32	129.59
00:05,830	16157	2.95	6.79	5.00	130.11
00:05,940	16200	1.35	3.12	2.30	130.55
00:06,050	16206	-0.67	-1.55	-1.14	130.63
00:06,160	16176	-2.21	-5.08	-3.74	130.25
00:06,270	16127	-2.73	-6.26	-4.60	129.84
00:06,380	16080	-2.62	-6.00	-4.41	129.45
00:06,490	16035	-2.50	-5.71	-4.20	129.10
00:06,600	15991	-2.45	-5.59	-4.11	128.75
00:06,710	15948	-2.45	-5.56	-4.09	128.40
00:06,820	15905	-2.43	-5.51	-4.05	128.05
00:06,930	15862	-2.39	-5.39	-3.96	127.71
00:07,040	15820	-2.34	-5.27	-3.88	127.37
00:07,150	15779	-2.31	-5.20	-3.82	127.04
00:07,260	15739	-2.31	-5.18	-3.81	126.72
00:07,370	15698	-2.31	-5.16	-3.80	126.39
00:07,480	15657	-2.31	-5.16	-3.80	126.06
00:07,590	15616	-2.31	-5.15	-3.79	125.73
00:07,700	15575	-2.31	-5.13	-3.78	125.40
00:07,810	15534	-2.30	-5.09	-3.74	125.07
00:07,920	15494	-2.28	-5.04	-3.70	124.74
00:08,030	15453	-2.28	-5.01	-3.69	124.42