


Leistungsdigramm - Radleistung



4605	Simson Simson (Messergebnisse für: KRAD 50 ccm)
27.01.2024 09:42	16.0 KW/12227 1/min 21.8 PS/12227 1/min 12.8 Nm/11605 1/min vmax: 109.4 km/h k=0,984 (4°C/68%/1001mbar) Tunerbattle Colin Trappe
4606	Simson Simson (Messergebnisse für: KRAD 50 ccm)
27.01.2024 09:48	16.0 KW/12725 1/min 21.8 PS/12725 1/min 12.5 Nm/11821 1/min vmax: 111.4 km/h k=0,983 (4°C/68%/1002mbar) Tunerbattle Colin Trappe
4608	Simson Simson (Messergebnisse für: KRAD 50 ccm)
27.01.2024 09:48	15.8 KW/12910 1/min 21.4 PS/12910 1/min 12.3 Nm/11731 1/min vmax: 111.3 km/h k=0,984 (4°C/68%/1001mbar) Tunerbattle Colin Trappe

Messdaten-Tabelle Sm Simson 4605

Zeit [s]	Drehzahl [1/min]	Moment [Nm]	Leistung [PS]	Leistung [KW]	Geschw. [km/h]
00:00,000	7271	6.15	6.37	4.68	49.75
00:00,110	7420	6.08	6.42	4.72	50.78
00:00,220	7567	5.90	6.36	4.68	51.79
00:00,330	7709	5.63	6.18	4.55	52.77
00:00,440	7842	5.34	5.97	4.39	53.68
00:00,550	7969	5.15	5.84	4.29	54.54
00:00,660	8093	5.08	5.86	4.31	55.38
00:00,770	8218	5.10	5.96	4.39	56.23
00:00,880	8342	5.20	6.18	4.55	57.08
00:00,990	8472	5.46	6.58	4.84	57.94
00:01,100	8609	5.91	7.25	5.33	58.88
00:01,210	8760	6.50	8.11	5.96	59.90
00:01,320	8926	7.19	9.14	6.72	61.05
00:01,430	9111	8.07	10.46	7.70	62.29
00:01,540	9320	9.09	12.06	8.87	63.70
00:01,650	9554	10.12	13.77	10.13	65.33
00:01,760	9813	10.95	15.30	11.25	67.11
00:01,870	10089	11.54	16.57	12.19	69.01
00:01,980	10376	11.99	17.71	13.02	70.98
00:02,090	10674	12.37	18.80	13.83	73.01
00:02,200	10980	12.67	19.81	14.57	75.12
00:02,310	11292	12.81	20.60	15.15	77.27
00:02,420	11605	12.82	21.18	15.58	79.42
00:02,530	11918	12.74	21.62	15.90	81.55
00:02,640	12227	12.53	21.82	16.05	83.68
00:02,750	12529	12.13	21.63	15.91	85.77
00:02,860	12819	11.65	21.27	15.65	87.75
00:02,970	13098	11.22	20.92	15.39	89.63
00:03,080	13367	10.86	20.67	15.20	91.50
00:03,190	13628	10.51	20.39	15.00	93.26
00:03,300	13880	10.14	20.04	14.74	95.00
00:03,410	14123	9.77	19.65	14.45	96.66
00:03,520	14357	9.44	19.29	14.19	98.26
00:03,630	14584	9.12	18.93	13.92	99.79
00:03,740	14802	8.57	18.07	13.29	101.32
00:03,850	15002	7.60	16.23	11.94	102.73
00:03,960	15172	6.38	13.78	10.13	103.91
00:04,070	15313	5.27	11.49	8.45	104.82
00:04,180	15430	4.46	9.80	7.21	105.62
00:04,290	15531	3.87	8.56	6.29	106.29
00:04,400	15619	3.33	7.40	5.44	106.90
00:04,510	15693	2.84	6.35	4.67	107.42
00:04,620	15757	2.42	5.42	3.99	107.83
00:04,730	15811	2.04	4.59	3.38	108.21
00:04,840	15857	1.61	3.64	2.68	108.53
00:04,950	15890	1.21	2.74	2.02	108.77
00:05,060	15916	0.90	2.03	1.49	108.89
00:05,170	15934	0.75	1.71	1.26	109.06
00:05,280	15953	0.67	1.53	1.12	109.13
00:05,390	15967	0.58	1.32	0.97	109.28
00:05,500	15981	0.43	0.97	0.71	109.35
00:05,610	15987	-0.03	-0.07	-0.05	109.43
00:05,720	15980	-0.78	-1.78	-1.31	109.41
00:05,830	15950	-1.60	-3.64	-2.68	109.19
00:05,940	15903	-2.12	-4.80	-3.53	108.82
00:06,050	15848	-2.28	-5.14	-3.78	108.44
00:06,160	15793	-2.27	-5.11	-3.76	108.07
00:06,270	15739	-2.24	-5.02	-3.69	107.69
00:06,380	15686	-2.20	-4.92	-3.62	107.33
00:06,490	15633	-2.17	-4.82	-3.55	106.97
00:06,600	15582	-2.14	-4.75	-3.50	106.61
00:06,710	15530	-2.12	-4.68	-3.45	106.27
00:06,820	15480	-2.10	-4.63	-3.40	105.92
00:06,930	15429	-2.08	-4.58	-3.37	105.58
00:07,040	15380	-2.07	-4.54	-3.34	105.24
00:07,150	15330	-2.07	-4.51	-3.32	104.90
00:07,260	15280	-2.06	-4.47	-3.29	104.56

Messdaten-Tabelle Sm Simson 4606

Zeit [s]	Drehzahl [1/min]	Moment [Nm]	Leistung [PS]	Leistung [KW]	Geschw. [km/h]
00:00,000	7176	5.14	5.25	3.86	49.09
00:00,110	7304	5.42	5.63	4.14	49.95
00:00,220	7441	5.72	6.06	4.46	50.90
00:00,330	7584	5.89	6.36	4.68	51.89
00:00,440	7728	5.88	6.47	4.76	52.89
00:00,550	7871	5.75	6.44	4.74	53.87
00:00,660	8009	5.59	6.37	4.69	54.81
00:00,770	8144	5.45	6.32	4.65	55.73
00:00,880	8275	5.33	6.27	4.62	56.63
00:00,990	8404	5.18	6.20	4.56	57.51
00:01,100	8528	5.07	6.15	4.53	58.37
00:01,210	8652	5.12	6.30	4.64	59.19
00:01,320	8779	5.44	6.80	5.00	60.04
00:01,430	8917	5.97	7.58	5.58	60.98
00:01,540	9070	6.55	8.46	6.22	62.04
00:01,650	9237	7.15	9.40	6.92	63.18
00:01,760	9420	7.89	10.59	7.79	64.40
00:01,870	9623	8.79	12.04	8.86	65.78
00:01,980	9849	9.67	13.56	9.97	67.35
00:02,090	10095	10.40	14.95	11.00	69.05
00:02,200	10357	11.01	16.23	11.94	70.83
00:02,310	10633	11.52	17.43	12.82	72.73
00:02,420	10920	11.92	18.53	13.63	74.70
00:02,530	11215	12.22	19.51	14.35	76.73
00:02,640	11517	12.41	20.34	14.96	78.79
00:02,750	11821	12.47	20.99	15.44	80.90
00:02,860	12126	12.41	21.43	15.76	82.98
00:02,970	12427	12.26	21.70	15.96	85.05
00:03,080	12725	12.04	21.81	16.04	87.08
00:03,190	13016	11.69	21.65	15.93	89.08
00:03,300	13296	11.22	21.24	15.62	91.01
00:03,410	13564	10.69	20.64	15.18	92.84
00:03,520	13818	10.18	20.02	14.72	94.58
00:03,630	14061	9.71	19.44	14.30	96.23
00:03,740	14292	9.30	18.92	13.92	97.82
00:03,850	14515	8.90	18.40	13.53	99.34
00:03,960	14727	8.56	17.95	13.20	100.80
00:04,070	14933	8.32	17.70	13.02	102.18
00:04,180	15134	8.10	17.46	12.84	103.57
00:04,290	15329	7.72	16.85	12.39	104.92
00:04,400	15511	6.83	15.08	11.09	106.19
00:04,510	15663	5.53	12.32	9.06	107.30
00:04,620	15781	4.23	9.50	6.99	108.04
00:04,730	15869	3.41	7.71	5.67	108.61
00:04,840	15948	3.07	6.96	5.12	109.11
00:04,950	16019	2.70	6.16	4.53	109.65
00:05,060	16080	2.28	5.23	3.84	110.08
00:05,170	16131	1.96	4.50	3.31	110.36
00:05,280	16176	1.79	4.13	3.04	110.69
00:05,390	16218	1.59	3.66	2.70	111.00
00:05,500	16253	1.08	2.49	1.83	111.24
00:05,610	16271	0.15	0.35	0.26	111.40
00:05,720	16260	-0.97	-2.25	-1.66	111.37
00:05,830	16224	-1.82	-4.20	-3.09	111.02
00:05,940	16173	-2.13	-4.91	-3.61	110.66
00:06,050	16122	-2.12	-4.87	-3.58	110.32
00:06,160	16071	-2.10	-4.79	-3.53	109.96
00:06,270	16021	-2.07	-4.73	-3.48	109.62
00:06,380	15972	-2.04	-4.64	-3.41	109.29
00:06,490	15923	-2.02	-4.57	-3.36	108.95
00:06,600	15875	-1.98	-4.48	-3.29	108.63
00:06,710	15828	-1.94	-4.38	-3.22	108.30
00:06,820	15781	-1.92	-4.30	-3.17	107.99
00:06,930	15736	-1.90	-4.26	-3.13	107.67
00:07,040	15690	-1.89	-4.23	-3.11	107.36
00:07,150	15645	-1.88	-4.20	-3.09	107.05
00:07,260	15600	-1.87	-4.16	-3.06	106.75
00:07,370	15555	-1.86	-4.11	-3.02	106.43
00:07,480	15511	-1.84	-4.08	-3.00	106.13

Messdaten-Tabelle Sm Simson 4608

Zeit [s]	Drehzahl [1/min]	Moment [Nm]	Leistung [PS]	Leistung [KW]	Geschw. [km/h]
00:00,000	7155	5.19	5.29	3.89	48.95
00:00,110	7282	5.32	5.52	4.06	49.82
00:00,220	7414	5.51	5.82	4.28	50.72
00:00,330	7551	5.73	6.16	4.53	51.66
00:00,440	7694	5.89	6.46	4.75	52.63
00:00,550	7839	5.93	6.62	4.87	53.64
00:00,660	7983	5.83	6.63	4.87	54.64
00:00,770	8124	5.65	6.53	4.80	55.59
00:00,880	8259	5.48	6.45	4.74	56.53
00:00,990	8391	5.37	6.42	4.72	57.42
00:01,100	8521	5.32	6.45	4.74	58.31
00:01,210	8651	5.37	6.61	4.86	59.18
00:01,320	8783	5.58	6.97	5.13	60.08
00:01,430	8923	5.96	7.57	5.57	61.03
00:01,540	9074	6.41	8.28	6.09	62.06
00:01,650	9236	6.89	9.05	6.66	63.18
00:01,760	9410	7.49	10.03	7.38	64.35
00:01,870	9601	8.29	11.34	8.34	65.63
00:01,980	9814	9.19	12.85	9.45	67.11
00:02,090	10050	9.99	14.30	10.52	68.73
00:02,200	10302	10.62	15.58	11.46	70.46
00:02,310	10568	11.14	16.76	12.33	72.29
00:02,420	10846	11.58	17.88	13.15	74.19
00:02,530	11133	11.96	18.96	13.94	76.16
00:02,640	11429	12.24	19.92	14.65	78.19
00:02,750	11731	12.35	20.62	15.17	80.27
00:02,860	12032	12.26	21.01	15.45	82.35
00:02,970	12329	12.09	21.22	15.61	84.37
00:03,080	12622	11.90	21.38	15.72	86.38
00:03,190	12910	11.66	21.44	15.77	88.36
00:03,300	13191	11.36	21.34	15.70	90.28
00:03,410	13465	11.03	21.14	15.55	92.15
00:03,520	13729	10.66	20.84	15.33	93.97
00:03,630	13985	10.29	20.48	15.06	95.72
00:03,740	14231	9.85	19.97	14.69	97.39
00:03,850	14466	9.38	19.31	14.21	99.03
00:03,960	14689	8.95	18.71	13.76	100.53
00:04,070	14903	8.59	18.22	13.40	101.97
00:04,180	15108	8.13	17.49	12.86	103.41
00:04,290	15299	7.39	16.10	11.84	104.75
00:04,400	15469	6.39	14.07	10.35	105.90
00:04,510	15611	5.41	12.02	8.84	106.88
00:04,620	15733	4.62	10.34	7.60	107.68
00:04,730	15836	3.95	8.90	6.54	108.40
00:04,840	15925	3.41	7.73	5.68	109.02
00:04,950	16003	2.93	6.68	4.91	109.50
00:05,060	16068	2.47	5.65	4.16	109.99
00:05,170	16123	2.05	4.72	3.47	110.36
00:05,280	16169	1.67	3.85	2.83	110.63
00:05,390	16205	1.43	3.30	2.43	110.92
00:05,500	16238	1.04	2.41	1.77	111.11
00:05,610	16256	0.15	0.36	0.26	111.32
00:05,720	16246	-0.95	-2.21	-1.62	111.27
00:05,830	16210	-1.80	-4.16	-3.06	110.90
00:05,940	16159	-2.07	-4.76	-3.50	110.58
00:06,050	16111	-2.03	-4.65	-3.42	110.23
00:06,160	16062	-2.01	-4.60	-3.39	109.91
00:06,270	16014	-1.99	-4.53	-3.33	109.58
00:06,380	15967	-1.96	-4.46	-3.28	109.25
00:06,490	15920	-1.92	-4.34	-3.19	108.93
00:06,600	15875	-1.87	-4.23	-3.11	108.62
00:06,710	15830	-1.84	-4.14	-3.05	108.32
00:06,820	15786	-1.82	-4.09	-3.00	108.01
00:06,930	15743	-1.80	-4.04	-2.97	107.72
00:07,040	15700	-1.79	-3.99	-2.94	107.42
00:07,150	15657	-1.78	-3.96	-2.92	107.13
00:07,260	15614	-1.77	-3.93	-2.89	106.84
00:07,370	15572	-1.76	-3.90	-2.87	106.55
00:07,480	15530	-1.75	-3.88	-2.85	106.26