


Leistungsdigramm - Radleistung



4609	Simson Simson (Messergebnisse für: KRAD 50 ccm)
27.01.2024 09:50	13.1 KW/12679 1/min 17.8 PS/12679 1/min 10.0 Nm/10065 1/min vmax: 116.6 km/h k=0,981 (3°C/70%/1002mbar) Tunerbattle Jonas Vetter
4610	Simson Simson (Messergebnisse für: KRAD 50 ccm)
27.01.2024 09:58	13.7 KW/12530 1/min 18.7 PS/12530 1/min 10.9 Nm/11561 1/min vmax: 117.9 km/h k=0,981 (3°C/70%/1002mbar) Tunerbattle Jonas Vetter
4612	Simson Simson (Messergebnisse für: KRAD 50 ccm)
27.01.2024 09:58	13.3 KW/12620 1/min 18.1 PS/12620 1/min 10.8 Nm/10183 1/min vmax: 119.0 km/h k=0,982 (3°C/70%/1001mbar) Tunerbattle Jonas Vetter

Messdaten-Tabelle Sm Simson 4609

Zeit [s]	Drehzahl [1/min]	Moment [Nm]	Leistung [PS]	Leistung [KW]	Geschw. [km/h]
00:00,000	7115	3.22	3.26	2.40	57.00
00:00,110	7173	3.02	3.09	2.27	57.40
00:00,220	7225	2.82	2.90	2.13	57.86
00:00,330	7275	2.66	2.76	2.03	58.26
00:00,440	7322	2.55	2.66	1.96	58.61
00:00,550	7368	2.63	2.76	2.03	58.99
00:00,660	7418	2.84	3.00	2.20	59.37
00:00,770	7472	3.17	3.37	2.48	59.80
00:00,880	7534	3.54	3.79	2.79	60.27
00:00,990	7600	3.82	4.13	3.04	60.86
00:01,100	7673	4.07	4.44	3.27	61.41
00:01,210	7749	4.23	4.66	3.43	62.01
00:01,320	7827	4.35	4.85	3.57	62.68
00:01,430	7907	4.50	5.06	3.72	63.29
00:01,540	7991	4.55	5.18	3.81	63.94
00:01,650	8073	4.44	5.11	3.76	64.69
00:01,760	8153	4.06	4.71	3.47	65.27
00:01,870	8221	3.73	4.36	3.21	65.85
00:01,980	8288	3.78	4.46	3.28	66.33
00:02,090	8359	4.14	4.92	3.62	66.88
00:02,200	8439	4.71	5.66	4.16	67.54
00:02,310	8530	5.13	6.23	4.58	68.26
00:02,420	8626	5.12	6.29	4.63	69.08
00:02,530	8717	5.06	6.28	4.62	69.83
00:02,640	8810	5.47	6.86	5.04	70.44
00:02,750	8916	6.48	8.23	6.05	71.31
00:02,860	9046	7.69	9.90	7.28	72.38
00:02,970	9196	8.59	11.25	8.27	73.57
00:03,080	9359	9.17	12.21	8.98	74.91
00:03,190	9530	9.48	12.86	9.46	76.29
00:03,300	9704	9.68	13.38	9.84	77.67
00:03,410	9883	9.89	13.91	10.23	79.10
00:03,520	10065	10.00	14.33	10.54	80.58
00:03,630	10247	9.92	14.48	10.65	82.04
00:03,740	10426	9.65	14.32	10.53	83.48
00:03,850	10598	9.30	14.04	10.32	84.88
00:03,960	10765	9.08	13.91	10.23	86.18
00:04,070	10929	9.06	14.10	10.37	87.48
00:04,180	11095	9.23	14.58	10.73	88.82
00:04,290	11265	9.50	15.23	11.20	90.17
00:04,400	11441	9.71	15.81	11.63	91.57
00:04,510	11619	9.80	16.21	11.92	93.03
00:04,620	11798	9.69	16.28	11.98	94.44
00:04,730	11972	9.56	16.29	11.98	95.87
00:04,840	12146	9.55	16.51	12.15	97.22
00:04,950	12320	9.68	16.98	12.49	98.62
00:05,060	12499	9.84	17.52	12.88	100.05
00:05,170	12679	9.85	17.78	13.08	101.51
00:05,280	12857	9.68	17.71	13.03	102.94
00:05,390	13031	9.43	17.50	12.87	104.34
00:05,500	13201	9.12	17.14	12.60	105.69
00:05,610	13363	8.75	16.64	12.24	107.02
00:05,720	13520	8.39	16.15	11.88	108.24
00:05,830	13669	8.12	15.81	11.63	109.44
00:05,940	13815	7.89	15.53	11.42	110.61
00:06,050	13956	7.43	14.77	10.86	111.76
00:06,160	14086	6.73	13.49	9.92	112.83
00:06,270	14202	5.84	11.80	8.68	113.72
00:06,380	14299	4.92	10.02	7.37	114.53
00:06,490	14381	4.03	8.26	6.08	115.16
00:06,600	14446	3.21	6.60	4.85	115.69
00:06,710	14498	2.45	5.06	3.72	116.09
00:06,820	14535	1.54	3.19	2.35	116.41
00:06,930	14554	0.15	0.31	0.23	116.59
00:07,040	14541	-1.60	-3.32	-2.44	116.54
00:07,150	14496	-3.03	-6.26	-4.61	116.09
00:07,260	14432	-3.73	-7.66	-5.63	115.53
00:07,370	14363	-3.86	-7.89	-5.80	114.99
00:07,480	14294	-3.87	-7.87	-5.79	114.44
00:07,590	14225	-3.83	-7.76	-5.70	113.87
00:07,700	14157	-3.75	-7.56	-5.56	113.33
00:07,810	14091	-3.65	-7.33	-5.39	112.81
00:07,920	14027	-3.57	-7.14	-5.25	112.28
00:08,030	13963	-3.52	-7.01	-5.15	111.79
00:08,140	13901	-3.51	-6.97	-5.13	111.29

Messdaten-Tabelle Sm Simson 4610

Zeit [s]	Drehzahl [1/min]	Moment [Nm]	Leistung [PS]	Leistung [KW]	Geschw. [km/h]
00:00,000	7135	4.93	5.01	3.68	57.20
00:00,110	7218	4.12	4.23	3.11	57.82
00:00,220	7285	3.52	3.65	2.68	58.33
00:00,330	7346	3.27	3.42	2.51	58.81
00:00,440	7404	3.16	3.33	2.45	59.28
00:00,550	7461	3.05	3.24	2.38	59.73
00:00,660	7515	2.98	3.19	2.35	60.18
00:00,770	7570	2.85	3.08	2.26	60.58
00:00,880	7619	2.80	3.03	2.23	61.03
00:00,990	7671	2.92	3.18	2.34	61.37
00:01,100	7725	3.19	3.51	2.58	61.84
00:01,210	7788	3.66	4.06	2.99	62.33
00:01,320	7859	4.18	4.67	3.44	62.87
00:01,430	7940	4.77	5.40	3.97	63.54
00:01,540	8033	5.28	6.04	4.44	64.28
00:01,650	8132	5.52	6.39	4.70	65.10
00:01,760	8234	5.33	6.25	4.60	65.94
00:01,870	8326	4.80	5.69	4.19	66.71
00:01,980	8409	4.43	5.30	3.90	67.33
00:02,090	8488	4.44	5.36	3.94	67.91
00:02,200	8570	4.66	5.69	4.18	68.61
00:02,310	8657	4.90	6.04	4.44	69.31
00:02,420	8749	5.29	6.58	4.84	70.01
00:02,530	8850	6.13	7.73	5.68	70.80
00:02,640	8972	7.27	9.28	6.83	71.74
00:02,750	9115	8.34	10.82	7.96	72.93
00:02,860	9276	9.13	12.06	8.87	74.23
00:02,970	9447	9.68	13.02	9.58	75.61
00:03,080	9628	10.13	13.88	10.21	77.06
00:03,190	9816	10.48	14.65	10.77	78.58
00:03,300	10010	10.73	15.30	11.25	80.12
00:03,410	10207	10.85	15.77	11.60	81.71
00:03,520	10405	10.77	15.96	11.74	83.32
00:03,630	10600	10.52	15.88	11.68	84.88
00:03,740	10789	10.32	15.85	11.65	86.38
00:03,850	10976	10.36	16.18	11.90	87.85
00:03,960	11166	10.61	16.86	12.40	89.37
00:04,070	11362	10.85	17.55	12.91	90.95
00:04,180	11561	10.88	17.90	13.17	92.56
00:04,290	11758	10.75	18.00	13.24	94.15
00:04,400	11953	10.63	18.10	13.31	95.69
00:04,510	12145	10.58	18.30	13.46	97.23
00:04,620	12338	10.56	18.55	13.64	98.78
00:04,730	12530	10.46	18.65	13.72	100.31
00:04,840	12719	10.25	18.55	13.65	101.84
00:04,950	12903	9.95	18.27	13.44	103.32
00:05,060	13081	9.65	17.97	13.22	104.74
00:05,170	13255	9.43	17.80	13.09	106.12
00:05,280	13425	9.23	17.65	12.98	107.48
00:05,390	13591	9.00	17.41	12.81	108.82
00:05,500	13753	8.70	17.03	12.53	110.11
00:05,610	13908	8.32	16.47	12.11	111.36
00:05,720	14056	7.84	15.68	11.53	112.55
00:05,830	14193	7.25	14.66	10.78	113.66
00:05,940	14320	6.36	12.96	9.53	114.67
00:06,050	14425	5.09	10.45	7.68	115.59
00:06,160	14505	3.77	7.80	5.73	116.18
00:06,270	14563	2.86	5.93	4.36	116.60
00:06,380	14609	2.44	5.08	3.74	116.97
00:06,490	14652	2.18	4.54	3.34	117.31
00:06,600	14689	1.40	2.92	2.15	117.61
00:06,710	14702	-0.15	-0.31	-0.23	117.86
00:06,820	14683	-1.97	-4.11	-3.02	117.64
00:06,930	14632	-3.21	-6.69	-4.92	117.15
00:07,040	14569	-3.59	-7.44	-5.47	116.63
00:07,150	14504	-3.61	-7.46	-5.49	116.11
00:07,260	14439	-3.59	-7.37	-5.42	115.60
00:07,370	14376	-3.53	-7.22	-5.31	115.08
00:07,480	14313	-3.43	-7.00	-5.15	114.58
00:07,590	14253	-3.37	-6.83	-5.03	114.10
00:07,700	14193	-3.34	-6.74	-4.96	113.63
00:07,810	14134	-3.28	-6.60	-4.86	113.14
00:07,920	14076	-3.21	-6.48	-4.77	112.68

Messdaten-Tabelle Sm Simson 4612

Zeit [s]	Drehzahl [1/min]	Moment [Nm]	Leistung [PS]	Leistung [KW]	Geschw. [km/h]
00:00,000	7164	4.32	4.41	3.24	57.37
00:00,110	7244	4.31	4.44	3.27	57.96
00:00,220	7321	4.17	4.35	3.20	58.64
00:00,330	7396	3.86	4.07	2.99	59.23
00:00,440	7462	3.44	3.66	2.69	59.75
00:00,550	7521	3.11	3.33	2.45	60.23
00:00,660	7575	2.97	3.20	2.36	60.65
00:00,770	7629	3.06	3.33	2.45	61.04
00:00,880	7686	3.28	3.59	2.64	61.53
00:00,990	7749	3.56	3.93	2.89	62.02
00:01,100	7816	4.04	4.49	3.31	62.54
00:01,210	7895	4.71	5.29	3.89	63.15
00:01,320	7987	5.32	6.05	4.45	63.94
00:01,430	8089	5.68	6.55	4.81	64.74
00:01,540	8194	5.76	6.72	4.94	65.60
00:01,650	8299	5.65	6.68	4.91	66.46
00:01,760	8400	5.24	6.27	4.61	67.25
00:01,870	8489	4.76	5.75	4.23	68.02
00:01,980	8573	4.52	5.52	4.06	68.61
00:02,090	8654	4.70	5.79	4.26	69.26
00:02,200	8744	5.30	6.59	4.85	69.97
00:02,310	8847	6.11	7.69	5.66	70.78
00:02,420	8966	7.09	9.06	6.66	71.72
00:02,530	9105	8.09	10.48	7.71	72.84
00:02,640	9260	8.88	11.70	8.61	74.11
00:02,750	9428	9.47	12.72	9.35	75.46
00:02,860	9605	9.99	13.66	10.05	76.86
00:02,970	9791	10.44	14.56	10.71	78.37
00:03,080	9985	10.75	15.28	11.24	79.93
00:03,190	10183	10.82	15.69	11.54	81.52
00:03,300	10379	10.70	15.81	11.63	83.10
00:03,410	10572	10.45	15.73	11.57	84.65
00:03,520	10759	10.20	15.62	11.49	86.15
00:03,630	10943	10.07	15.70	11.55	87.60
00:03,740	11126	10.12	16.04	11.79	89.07
00:03,850	11312	10.26	16.52	12.15	90.55
00:03,960	11499	10.37	16.97	12.48	92.06
00:04,070	11689	10.37	17.27	12.70	93.58
00:04,180	11877	10.31	17.43	12.82	95.09
00:04,290	12064	10.23	17.58	12.93	96.58
00:04,400	12249	10.21	17.80	13.09	98.07
00:04,510	12435	10.18	18.02	13.26	99.55
00:04,620	12620	10.05	18.05	13.28	101.05
00:04,730	12801	9.82	17.90	13.16	102.50
00:04,840	12977	9.58	17.69	13.01	103.90
00:04,950	13150	9.41	17.62	12.96	105.28
00:05,060	13320	9.29	17.62	12.96	106.64
00:05,170	13488	9.13	17.53	12.90	107.98
00:05,280	13652	8.90	17.29	12.72	109.31
00:05,390	13811	8.57	16.85	12.40	110.58
00:05,500	13964	8.18	16.27	11.97	111.81
00:05,610	14109	7.78	15.62	11.49	112.97
00:05,720	14247	7.39	14.99	11.02	114.08
00:05,830	14378	7.02	14.38	10.58	115.12
00:05,940	14503	6.39	13.20	9.71	116.13
00:06,050	14611	5.19	10.79	7.93	117.06
00:06,160	14691	3.67	7.67	5.64	117.72
00:06,270	14744	2.47	5.19	3.82	118.06
00:06,380	14781	1.91	4.02	2.96	118.34
00:06,490	14814	1.67	3.52	2.59	118.61
00:06,600	14842	1.26	2.66	1.96	118.84
00:06,710	14860	0.34	0.72	0.53	119.02
00:06,820	14854	-1.05	-2.23	-1.64	119.03
00:06,930	14822	-2.45	-5.17	-3.80	118.71
00:07,040	14767	-3.34	-7.03	-5.17	118.24
00:07,150	14702	-3.69	-7.71	-5.67	117.71
00:07,260	14635	-3.73	-7.78	-5.72	117.17
00:07,370	14569	-3.64	-7.54	-5.55	116.62
00:07,480	14505	-3.51	-7.26	-5.34	116.12
00:07,590	14443	-3.44	-7.08	-5.21	115.63
00:07,700	14382	-3.41	-6.99	-5.14	115.14
00:07,810	14321	-3.35	-6.83	-5.02	114.65
00:07,920	14262	-3.29	-6.73	-4.95	114.18
00:08,030	14204	-3.30	-6.67	-4.91	113.72