


Leistungsdigramm - Radleistung



4613	Simson Simson (Messergebnisse für: KRAD 50 ccm)
27.01.2024 10:02	16.8 KW/11305 1/min 22.8 PS/11305 1/min 14.7 Nm/10588 1/min vmax: 118.7 km/h k=0,981 (3°C/70%/1002mbar) Tunerbattle Johannes Sadewasser
4614	Simson Simson (Messergebnisse für: KRAD 50 ccm)
27.01.2024 10:04	16.9 KW/11998 1/min 23.0 PS/11998 1/min 14.4 Nm/10838 1/min vmax: 121.0 km/h k=0,981 (3°C/70%/1002mbar) Tunerbattle Johannes Sadewasser
4615	Simson Simson (Messergebnisse für: KRAD 50 ccm)
27.01.2024 10:05	17.0 KW/12096 1/min 23.1 PS/12096 1/min 14.2 Nm/10947 1/min vmax: 122.0 km/h k=0,981 (3°C/70%/1002mbar) Tunerbattle Johannes Sadewasser

Messdaten-Tabelle Sm Simson 4613

Zeit [s]	Drehzahl [1/min]	Moment [Nm]	Leistung [PS]	Leistung [KW]	Geschw. [km/h]
00:00,000	7122	4.96	5.03	3.70	60.09
00:00,110	7204	4.87	4.99	3.67	60.78
00:00,220	7283	4.83	5.01	3.68	61.45
00:00,330	7363	4.90	5.14	3.78	62.09
00:00,440	7445	5.11	5.42	3.99	62.80
00:00,550	7532	5.38	5.76	4.24	63.51
00:00,660	7622	5.74	6.23	4.58	64.29
00:00,770	7721	6.35	6.98	5.13	65.09
00:00,880	7831	7.19	8.02	5.90	66.02
00:00,990	7958	8.21	9.31	6.85	67.08
00:01,100	8102	9.19	10.61	7.80	68.30
00:01,210	8261	10.02	11.78	8.66	69.66
00:01,320	8432	10.68	12.82	9.43	71.11
00:01,430	8613	11.24	13.78	10.14	72.63
00:01,540	8803	11.77	14.75	10.85	74.24
00:01,650	9001	12.26	15.72	11.56	75.91
00:01,760	9207	12.75	16.72	12.30	77.65
00:01,870	9422	13.22	17.74	13.04	79.46
00:01,980	9643	13.63	18.71	13.76	81.34
00:02,090	9871	14.01	19.70	14.49	83.25
00:02,200	10106	14.37	20.67	15.20	85.23
00:02,310	10345	14.62	21.53	15.84	87.27
00:02,420	10588	14.70	22.16	16.30	89.32
00:02,530	10830	14.62	22.54	16.57	91.37
00:02,640	11070	14.43	22.74	16.72	93.39
00:02,750	11305	14.17	22.80	16.77	95.39
00:02,860	11537	13.88	22.80	16.77	97.34
00:02,970	11763	13.59	22.77	16.75	99.25
00:03,080	11985	13.24	22.59	16.62	101.12
00:03,190	12200	12.71	22.07	16.24	102.95
00:03,300	12404	11.94	21.09	15.51	104.68
00:03,410	12594	11.01	19.74	14.52	106.29
00:03,520	12767	10.03	18.23	13.41	107.74
00:03,630	12924	9.13	16.80	12.36	109.07
00:03,740	13068	8.33	15.50	11.40	110.26
00:03,850	13199	7.63	14.34	10.55	111.39
00:03,960	13320	7.05	13.36	9.83	112.38
00:04,070	13431	6.44	12.32	9.06	113.32
00:04,180	13532	5.78	11.13	8.19	114.21
00:04,290	13622	5.15	9.99	7.34	114.94
00:04,400	13702	4.73	9.22	6.78	115.59
00:04,510	13778	4.45	8.72	6.42	116.24
00:04,620	13849	4.11	8.10	5.96	116.85
00:04,730	13913	3.69	7.31	5.38	117.39
00:04,840	13970	3.32	6.59	4.85	117.87
00:04,950	14023	2.47	4.92	3.62	118.30
00:05,060	14052	0.84	1.67	1.23	118.71
00:05,170	14050	-1.02	-2.04	-1.50	118.61
00:05,280	14019	-2.25	-4.50	-3.31	118.26
00:05,390	13977	-2.58	-5.13	-3.77	117.91
00:05,500	13935	-2.59	-5.14	-3.78	117.56
00:05,610	13893	-2.58	-5.10	-3.75	117.20
00:05,720	13852	-2.55	-5.03	-3.70	116.85
00:05,830	13811	-2.55	-5.01	-3.68	116.51
00:05,940	13769	-2.55	-4.99	-3.67	116.16
00:06,050	13728	-2.50	-4.88	-3.59	115.80
00:06,160	13689	-2.41	-4.71	-3.46	115.47
00:06,270	13650	-2.35	-4.57	-3.36	115.15
00:06,380	13612	-2.33	-4.51	-3.32	114.83
00:06,490	13575	-2.31	-4.46	-3.28	114.51
00:06,600	13538	-2.29	-4.41	-3.24	114.20
00:06,710	13501	-2.28	-4.39	-3.23	113.89
00:06,820	13464	-2.27	-4.36	-3.20	113.58
00:06,930	13427	-2.24	-4.27	-3.14	113.27

Messdaten-Tabelle Sm Simson 4614

Zeit [s]	Drehzahl [1/min]	Moment [Nm]	Leistung [PS]	Leistung [KW]	Geschw. [km/h]
00:00,000	7085	2.65	2.67	1.97	59.79
00:00,110	7127	2.36	2.40	1.76	60.13
00:00,220	7163	2.15	2.19	1.61	60.43
00:00,330	7197	2.09	2.14	1.57	60.72
00:00,440	7232	2.13	2.20	1.62	61.00
00:00,550	7268	2.12	2.19	1.61	61.30
00:00,660	7302	1.97	2.05	1.51	61.62
00:00,770	7333	1.80	1.88	1.38	61.86
00:00,880	7361	1.85	1.94	1.42	62.09
00:00,990	7394	2.28	2.40	1.76	62.34
00:01,100	7436	2.94	3.11	2.29	62.69
00:01,210	7490	3.66	3.91	2.87	63.16
00:01,320	7557	4.28	4.60	3.38	63.72
00:01,430	7631	4.78	5.20	3.82	64.37
00:01,540	7715	5.37	5.90	4.34	65.05
00:01,650	7809	6.10	6.79	4.99	65.82
00:01,760	7916	7.01	7.90	5.81	66.74
00:01,870	8040	7.95	9.10	6.69	67.77
00:01,980	8178	8.87	10.33	7.60	68.95
00:02,090	8332	9.74	11.55	8.50	70.25
00:02,200	8499	10.47	12.67	9.32	71.67
00:02,310	8677	11.08	13.69	10.07	73.18
00:02,420	8864	11.58	14.62	10.75	74.76
00:02,530	9059	12.03	15.52	11.42	76.40
00:02,640	9261	12.46	16.43	12.08	78.11
00:02,750	9470	12.88	17.37	12.78	79.87
00:02,860	9686	13.28	18.31	13.47	81.69
00:02,970	9908	13.61	19.20	14.12	83.57
00:03,080	10135	13.88	20.03	14.73	85.49
00:03,190	10366	14.12	20.83	15.32	87.43
00:03,300	10600	14.33	21.63	15.91	89.42
00:03,410	10838	14.44	22.28	16.38	91.42
00:03,520	11076	14.40	22.71	16.70	93.45
00:03,630	11313	14.23	22.92	16.85	95.44
00:03,740	11545	13.97	22.97	16.89	97.41
00:03,850	11774	13.72	23.00	16.92	99.33
00:03,960	11998	13.47	23.02	16.93	101.22
00:04,070	12218	13.10	22.79	16.76	103.08
00:04,180	12430	12.45	22.04	16.21	104.90
00:04,290	12629	11.59	20.84	15.33	106.58
00:04,400	12812	10.66	19.44	14.30	108.12
00:04,510	12980	9.78	18.08	13.29	109.54
00:04,620	13135	8.97	16.77	12.33	110.83
00:04,730	13276	8.27	15.62	11.49	112.03
00:04,840	13407	7.61	14.52	10.68	113.12
00:04,950	13527	6.89	13.27	9.76	114.16
00:05,060	13634	6.20	12.04	8.85	115.05
00:05,170	13731	5.65	11.04	8.12	115.84
00:05,280	13821	5.25	10.33	7.60	116.61
00:05,390	13904	4.86	9.62	7.07	117.31
00:05,500	13981	4.44	8.84	6.50	117.96
00:05,610	14051	4.11	8.21	6.04	118.54
00:05,720	14116	3.85	7.74	5.69	119.09
00:05,830	14178	3.67	7.40	5.44	119.62
00:05,940	14237	3.47	7.03	5.17	120.10
00:06,050	14292	2.73	5.56	4.09	120.58
00:06,160	14327	1.13	2.31	1.70	121.01
00:06,270	14329	-0.79	-1.61	-1.19	120.99
00:06,380	14302	-2.10	-4.28	-3.15	120.64
00:06,490	14261	-2.46	-4.99	-3.67	120.31
00:06,600	14222	-2.42	-4.90	-3.60	119.97
00:06,710	14183	-2.39	-4.82	-3.54	119.65
00:06,820	14145	-2.35	-4.73	-3.48	119.32
00:06,930	14107	-2.31	-4.64	-3.41	119.00
00:07,040	14070	-2.29	-4.60	-3.39	118.69
00:07,150	14033	-2.30	-4.59	-3.37	118.38
00:07,260	13996	-2.31	-4.60	-3.38	118.07
00:07,370	13959	-2.28	-4.53	-3.33	117.75
00:07,480	13922	-2.21	-4.38	-3.22	117.44
00:07,590	13887	-2.14	-4.23	-3.11	117.15
00:07,700	13853	-2.11	-4.17	-3.07	116.86
00:07,810	13819	-2.13	-4.19	-3.09	116.58
00:07,920	13784	-2.15	-4.22	-3.10	116.28
00:08,030	13749	-2.14	-4.19	-3.08	115.98
00:08,140	13715	-2.12	-4.14	-3.05	115.69
00:08,250	13680	-2.13	-4.15	-3.05	115.41

Messdaten-Tabelle Sm Simson 4615

Zeit [s]	Drehzahl [1/min]	Moment [Nm]	Leistung [PS]	Leistung [KW]	Geschw. [km/h]
00:00,000	7156	5.22	5.32	3.91	60.36
00:00,110	7242	5.22	5.38	3.96	61.10
00:00,220	7328	5.19	5.42	3.98	61.82
00:00,330	7413	5.18	5.47	4.02	62.54
00:00,440	7499	5.23	5.58	4.11	63.25
00:00,550	7586	5.32	5.75	4.23	63.99
00:00,660	7675	5.46	5.97	4.39	64.73
00:00,770	7766	5.59	6.18	4.54	65.50
00:00,880	7859	5.76	6.44	4.74	66.30
00:00,990	7956	6.14	6.95	5.11	67.09
00:01,100	8061	6.85	7.87	5.78	67.96
00:01,210	8182	7.82	9.11	6.70	68.97
00:01,320	8319	8.81	10.44	7.68	70.14
00:01,430	8472	9.65	11.64	8.56	71.43
00:01,540	8637	10.32	12.69	9.33	72.84
00:01,650	8812	10.88	13.66	10.04	74.31
00:01,760	8996	11.40	14.60	10.74	75.87
00:01,870	9188	11.89	15.56	11.44	77.49
00:01,980	9388	12.34	16.50	12.14	79.17
00:02,090	9595	12.77	17.44	12.83	80.93
00:02,200	9809	13.14	18.36	13.50	82.73
00:02,310	10029	13.44	19.19	14.11	84.59
00:02,420	10253	13.70	20.00	14.71	86.48
00:02,530	10480	13.95	20.82	15.31	88.39
00:02,640	10713	14.15	21.59	15.88	90.36
00:02,750	10947	14.23	22.18	16.32	92.35
00:02,860	11182	14.18	22.58	16.61	94.33
00:02,970	11415	14.06	22.84	16.80	96.30
00:03,080	11645	13.89	23.02	16.93	98.25
00:03,190	11873	13.68	23.12	17.01	100.17
00:03,300	12096	13.44	23.14	17.02	102.05
00:03,410	12316	13.07	22.92	16.86	103.91
00:03,520	12527	12.50	22.30	16.40	105.72
00:03,630	12728	11.74	21.27	15.65	107.41
00:03,740	12915	10.87	19.99	14.70	108.99
00:03,850	13087	10.03	18.69	13.75	110.44
00:03,960	13245	9.20	17.35	12.76	111.76
00:04,070	13390	8.35	15.92	11.71	113.00
00:04,180	13521	7.49	14.42	10.60	114.10
00:04,290	13637	6.70	13.01	9.57	115.07
00:04,400	13742	6.07	11.87	8.73	115.95
00:04,510	13837	5.57	10.98	8.08	116.75
00:04,620	13925	5.17	10.25	7.54	117.49
00:04,730	14007	4.83	9.62	7.08	118.18
00:04,840	14084	4.55	9.12	6.71	118.82
00:04,950	14157	4.30	8.67	6.37	119.44
00:05,060	14226	4.03	8.17	6.01	120.03
00:05,170	14290	3.75	7.63	5.61	120.56
00:05,280	14350	3.50	7.14	5.25	121.06
00:05,390	14406	2.87	5.88	4.33	121.54
00:05,500	14444	1.40	2.88	2.12	121.98
00:05,610	14452	-0.48	-0.99	-0.73	122.04
00:05,720	14429	-1.87	-3.85	-2.83	121.72
00:05,830	14391	-2.32	-4.76	-3.50	121.40
00:05,940	14354	-2.31	-4.71	-3.47	121.09
00:06,050	14317	-2.29	-4.67	-3.44	120.77
00:06,160	14280	-2.27	-4.62	-3.40	120.46
00:06,270	14243	-2.24	-4.54	-3.34	120.15
00:06,380	14207	-2.23	-4.51	-3.32	119.85
00:06,490	14171	-2.25	-4.55	-3.35	119.55
00:06,600	14134	-2.28	-4.58	-3.37	119.23
00:06,710	14097	-2.26	-4.53	-3.33	118.92
00:06,820	14061	-2.20	-4.40	-3.24	118.61
00:06,930	14026	-2.12	-4.24	-3.12	118.32
00:07,040	13992	-2.07	-4.16	-3.06	118.03
00:07,150	13959	-2.07	-4.11	-3.02	117.76
00:07,260	13925	-2.09	-4.15	-3.05	117.47
00:07,370	13891	-2.10	-4.16	-3.06	117.19
00:07,480	13857	-2.08	-4.09	-3.01	116.89
00:07,590	13824	-2.05	-4.04	-2.97	116.62
00:07,700	13791	-2.06	-4.04	-2.97	116.34