


Leistungsdigramm - Radleistung



4616
27.01.2024 10:07
Simson Simson (Messergebnisse für: KRAD 50 ccm)
15.5 KW/11024 1/min | 21.1 PS/11024 1/min | 13.5 Nm/10795 1/min | vmax: 110.0 km/h
k=0,983 (4°C/69%/1002mbar)
Tunerbattle Björn Enke

4617
27.01.2024 10:15
Simson Simson (Messergebnisse für: KRAD 50 ccm)
16.3 KW/11340 1/min | 22.1 PS/11340 1/min | 13.8 Nm/11106 1/min | vmax: 113.4 km/h
k=0,983 (4°C/70%/1002mbar)
Tunerbattle Björn Enke

4618
27.01.2024 10:15
Simson Simson (Messergebnisse für: KRAD 50 ccm)
16.5 KW/11653 1/min | 22.4 PS/11653 1/min | 13.7 Nm/11190 1/min | vmax: 114.7 km/h
k=0,983 (4°C/70%/1002mbar)
Tunerbattle Björn Enke

Messdaten-Tabelle Sm Simson 4616

Zeit [s]	Drehzahl [1/min]	Moment [Nm]	Leistung [PS]	Leistung [KW]	Geschw. [km/h]
00:00,000	6186	5.91	5.20	3.83	51.41
00:00,110	6287	6.08	5.45	4.01	52.24
00:00,220	6392	6.35	5.78	4.25	53.12
00:00,330	6502	6.77	6.27	4.61	54.02
00:00,440	6621	7.36	6.94	5.10	55.00
00:00,550	6751	8.11	7.79	5.73	56.08
00:00,660	6896	8.90	8.74	6.43	57.27
00:00,770	7053	9.68	9.72	7.15	58.59
00:00,880	7223	10.43	10.73	7.89	60.00
00:00,990	7406	11.14	11.74	8.64	61.52
00:01,100	7600	11.77	12.74	9.37	63.15
00:01,210	7805	12.28	13.64	10.03	64.85
00:01,320	8016	12.63	14.41	10.60	66.61
00:01,430	8232	12.73	14.92	10.97	68.42
00:01,540	8447	12.48	15.01	11.04	70.23
00:01,650	8655	11.70	14.42	10.61	71.98
00:01,760	8843	10.46	13.17	9.69	73.60
00:01,870	9009	9.13	11.71	8.61	74.94
00:01,980	9152	8.72	11.37	8.36	76.11
00:02,090	9304	9.70	12.86	9.45	77.18
00:02,200	9481	11.31	15.26	11.23	78.72
00:02,310	9687	12.48	17.22	12.66	80.51
00:02,420	9904	12.86	18.13	13.34	82.31
00:02,530	10122	12.99	18.73	13.77	84.12
00:02,640	10344	13.16	19.39	14.26	85.97
00:02,750	10568	13.34	20.07	14.76	87.83
00:02,860	10795	13.46	20.68	15.21	89.72
00:02,970	11024	13.41	21.06	15.49	91.63
00:03,080	11250	13.05	20.91	15.38	93.53
00:03,190	11466	12.27	20.03	14.73	95.35
00:03,300	11665	11.24	18.67	13.73	97.02
00:03,410	11846	10.30	17.37	12.77	98.50
00:03,520	12014	9.50	16.25	11.95	99.87
00:03,630	12168	8.68	15.04	11.06	101.19
00:03,740	12308	7.91	13.87	10.20	102.34
00:03,850	12436	7.27	12.87	9.47	103.35
00:03,960	12554	6.65	11.88	8.74	104.40
00:04,070	12661	5.97	10.77	7.92	105.28
00:04,180	12756	5.40	9.80	7.21	106.03
00:04,290	12844	5.04	9.22	6.78	106.76
00:04,400	12927	4.74	8.73	6.42	107.47
00:04,510	13004	4.39	8.13	5.98	108.10
00:04,620	13075	4.06	7.56	5.56	108.70
00:04,730	13142	3.53	6.61	4.86	109.24
00:04,840	13195	1.99	3.75	2.76	109.76
00:04,950	13209	-0.41	-0.78	-0.57	110.03
00:05,060	13181	-2.65	-4.97	-3.65	109.60
00:05,170	13121	-3.74	-6.99	-5.14	109.06
00:05,280	13057	-3.86	-7.18	-5.28	108.53
00:05,390	12993	-3.85	-7.13	-5.24	107.99
00:05,500	12929	-3.85	-7.09	-5.22	107.46
00:05,610	12864	-3.84	-7.04	-5.18	106.93
00:05,720	12801	-3.81	-6.94	-5.10	106.39
00:05,830	12738	-3.73	-6.77	-4.98	105.87
00:05,940	12676	-3.65	-6.65	-4.89	105.36

Messdaten-Tabelle Sm Simson 4617

Zeit [s]	Drehzahl [1/min]	Moment [Nm]	Leistung [PS]	Leistung [KW]	Geschw. [km/h]
00:00,000	6128	5.18	4.52	3.32	50.97
00:00,110	6209	4.19	3.70	2.72	51.68
00:00,220	6270	3.09	2.76	2.03	52.17
00:00,330	6314	2.53	2.27	1.67	52.48
00:00,440	6355	2.65	2.40	1.76	52.78
00:00,550	6404	3.15	2.87	2.11	53.21
00:00,660	6462	3.66	3.37	2.48	53.69
00:00,770	6528	4.11	3.82	2.81	54.24
00:00,880	6601	4.64	4.36	3.21	54.84
00:00,990	6685	5.35	5.09	3.74	55.52
00:01,100	6782	6.23	6.02	4.43	56.32
00:01,210	6896	7.23	7.09	5.22	57.28
00:01,320	7027	8.23	8.24	6.06	58.35
00:01,430	7175	9.21	9.41	6.92	59.59
00:01,540	7339	10.15	10.61	7.80	60.96
00:01,650	7518	11.01	11.79	8.67	62.45
00:01,760	7712	11.83	12.99	9.55	64.06
00:01,870	7919	12.57	14.17	10.42	65.78
00:01,980	8137	13.13	15.21	11.19	67.61
00:02,090	8363	13.38	15.94	11.72	69.51
00:02,200	8590	13.18	16.12	11.85	71.42
00:02,310	8809	12.35	15.49	11.39	73.27
00:02,420	9008	11.15	14.30	10.52	74.97
00:02,530	9187	10.52	13.76	10.12	76.38
00:02,640	9365	10.85	14.46	10.64	77.73
00:02,750	9554	11.66	15.86	11.66	79.40
00:02,860	9759	12.26	17.04	12.53	81.11
00:02,970	9969	12.60	17.89	13.16	82.84
00:03,080	10186	13.02	18.89	13.89	84.64
00:03,190	10410	13.40	19.86	14.60	86.51
00:03,300	10640	13.64	20.67	15.20	88.43
00:03,410	10872	13.77	21.31	15.67	90.36
00:03,520	11106	13.81	21.83	16.06	92.31
00:03,630	11340	13.72	22.14	16.29	94.26
00:03,740	11570	13.40	22.07	16.23	96.19
00:03,850	11793	12.84	21.57	15.86	98.06
00:03,960	12005	12.07	20.64	15.18	99.82
00:04,070	12202	11.20	19.46	14.31	101.47
00:04,180	12384	10.26	18.08	13.30	102.97
00:04,290	12549	9.11	16.28	11.97	104.36
00:04,400	12693	7.73	13.97	10.28	105.59
00:04,510	12811	6.41	11.69	8.60	106.55
00:04,620	12910	5.58	10.25	7.54	107.32
00:04,730	13000	5.28	9.77	7.18	108.04
00:04,840	13088	5.19	9.68	7.12	108.80
00:04,950	13176	5.09	9.55	7.02	109.52
00:05,060	13261	4.94	9.33	6.86	110.23
00:05,170	13343	4.78	9.09	6.68	110.91
00:05,280	13423	4.60	8.79	6.47	111.58
00:05,390	13499	4.37	8.40	6.18	112.21
00:05,500	13571	3.24	6.25	4.60	112.82
00:05,610	13609	0.86	1.66	1.22	113.37
00:05,720	13600	-1.85	-3.58	-2.63	113.15
00:05,830	13547	-3.55	-6.85	-5.04	112.60
00:05,940	13481	-3.94	-7.56	-5.56	112.05
00:06,050	13416	-3.94	-7.52	-5.53	111.52
00:06,160	13350	-3.92	-7.46	-5.49	110.96
00:06,270	13285	-3.90	-7.38	-5.43	110.42
00:06,380	13221	-3.86	-7.27	-5.35	109.89
00:06,490	13157	-3.83	-7.18	-5.28	109.35
00:06,600	13093	-3.81	-7.11	-5.23	108.83
00:06,710	13030	-3.80	-7.06	-5.19	108.31

Messdaten-Tabelle Sm Simson 4618

Zeit [s]	Drehzahl [1/min]	Moment [Nm]	Leistung [PS]	Leistung [KW]	Geschw. [km/h]
00:00,000	6155	4.17	3.65	2.69	51.20
00:00,110	6223	3.94	3.49	2.57	51.72
00:00,220	6288	3.89	3.49	2.56	52.26
00:00,330	6355	4.01	3.63	2.67	52.82
00:00,440	6424	4.17	3.81	2.80	53.38
00:00,550	6496	4.48	4.15	3.05	53.98
00:00,660	6576	4.95	4.64	3.41	54.62
00:00,770	6664	5.53	5.24	3.86	55.37
00:00,880	6763	6.13	5.90	4.34	56.17
00:00,990	6871	6.81	6.67	4.90	57.09
00:01,100	6994	7.67	7.64	5.62	58.07
00:01,210	7131	8.60	8.74	6.43	59.22
00:01,320	7285	9.56	9.92	7.29	60.52
00:01,430	7455	10.48	11.12	8.18	61.91
00:01,540	7640	11.37	12.37	9.10	63.46
00:01,650	7840	12.16	13.58	9.99	65.13
00:01,760	8052	12.79	14.67	10.79	66.90
00:01,870	8273	13.19	15.54	11.43	68.74
00:01,980	8498	13.23	16.01	11.78	70.65
00:02,090	8721	12.76	15.84	11.65	72.52
00:02,200	8930	11.63	14.78	10.87	74.29
00:02,310	9115	10.65	13.82	10.16	75.87
00:02,420	9291	10.48	13.86	10.20	77.12
00:02,530	9469	11.05	14.90	10.96	78.69
00:02,640	9665	11.71	16.11	11.85	80.32
00:02,750	9866	12.00	16.85	12.39	81.99
00:02,860	10071	12.31	17.66	12.99	83.69
00:02,970	10283	12.73	18.64	13.71	85.44
00:03,080	10502	13.17	19.70	14.49	87.27
00:03,190	10729	13.48	20.60	15.15	89.17
00:03,300	10959	13.62	21.26	15.64	91.09
00:03,410	11190	13.67	21.79	16.02	93.01
00:03,520	11422	13.66	22.21	16.33	94.93
00:03,630	11653	13.50	22.39	16.47	96.87
00:03,740	11879	13.12	22.19	16.32	98.76
00:03,850	12097	12.52	21.56	15.86	100.58
00:03,960	12303	11.68	20.46	15.05	102.30
00:04,070	12492	10.28	18.28	13.45	103.90
00:04,180	12651	8.42	15.16	11.15	105.30
00:04,290	12777	6.71	12.21	8.98	106.26
00:04,400	12878	5.79	10.62	7.81	107.05
00:04,510	12973	5.60	10.34	7.61	107.82
00:04,620	13068	5.57	10.36	7.62	108.63
00:04,730	13162	5.47	10.25	7.54	109.40
00:04,840	13253	5.25	9.90	7.28	110.16
00:04,950	13340	5.05	9.59	7.05	110.90
00:05,060	13424	4.87	9.31	6.85	111.56
00:05,170	13504	4.75	9.14	6.72	112.26
00:05,280	13585	4.65	8.99	6.61	112.91
00:05,390	13662	4.41	8.58	6.31	113.56
00:05,500	13734	3.15	6.16	4.53	114.19
00:05,610	13768	0.65	1.27	0.93	114.71
00:05,720	13756	-2.04	-3.99	-2.94	114.42
00:05,830	13701	-3.65	-7.11	-5.23	113.87
00:05,940	13635	-3.97	-7.70	-5.66	113.33
00:06,050	13569	-3.96	-7.65	-5.63	112.78
00:06,160	13503	-3.96	-7.61	-5.59	112.23
00:06,270	13437	-3.93	-7.52	-5.53	111.69
00:06,380	13372	-3.91	-7.44	-5.47	111.14
00:06,490	13307	-3.89	-7.37	-5.42	110.61
00:06,600	13242	-3.88	-7.32	-5.38	110.07
00:06,710	13178	-3.87	-7.27	-5.34	109.53